



CONVOY Premio

EFFORTLESS OVERVIEW, ABSOLUTELY SMOOTH ACTION

 KESSEBÖHMER





CONVOY Premio

EFFORTLESS OVERVIEW AND ACCESS

— KESSEBÖHMER —




THE CONVOY Premio „FLOATS“ ALL THE CONTENTS RIGHT OUT OF THE CABINET. Opening the door – at an angle of up to 135° – initiates a fluid movement sequence, SoftSTOPpro slows the opening movement and then completes it under precision control. With damped self-closing, the fitting glides softly and silently back into the unit.

Full-extension means a totally unobstructed view – from three sides – of all the contents. The sophisticated engineering that underlies this perfect opening and closing is unobtrusive.



reddot design award





272073 7035



push-to-open (PTO) Typ II

Drill-in ejector

● 22-34 N

Can also be used with PTO housing
(272075 7035)

Grey 7035



272075 7035

PTO housing

for screw fixing

Grey 7035

CONVOY Premio pull-out fitting

With premounted cover, with integrated damping for closing and opening (SoftSTOPPpro).
 Runner with forced synchronisation for 100% reliable function (SynChromatic).

Pull-out travel: 470 mm
 Clear inside depth: ≥ 500 mm
 Permissible load on the pull-out fitting:
 System weight + front panel + contents = max. 130 kg
 (depends on cabinet design)

Colour code:
 White 9010
 Grey 7930
 Anthracite 9846

Item no.

002410 9010
 002410 7930
 002410 9846

Standard with



CONVOY Premio support post

Colour code:
 Silver 0102
 Ice white 9966
 Anthracite 9846

Clear inside height (mm)
 1.800-1.899

002368 0102
 002368 9966
 002368 9846

1.900-1.999

002369 0102
 002369 9966
 002369 9846

2.000-2.099

002370 0102
 002370 9966
 002370 9846

Standard with



2.100-2.199

002371 0102
 002371 9966
 002371 9846

CONVOY Premio tray set

Set of 5 – consisting of:
 1 tray with integrated top runner and control lever
 4 trays, height-adjustable
 5 accessory boxes
 1 support bracket
 1 fixing brace
 2 front panel connectors
 1 control lever bottom

For cabinet width:
 600 mm

Door catch right
 left

280591 9846
 280508 0005
 280592 9846
 280509 0005

Additional items required for a complete installation (order separately):

1 pull-out fitting
 1 support post height as calculated

Standard with



Replacement tray CONVOY Premio

Colour code:
 Anthracite 9846
 Chrome 0005

For cabinet width:
 600 mm

280620 9846
 280621 0005






Assembly with predrilled cuphole so that front sensor is perfectly integrated into the carcaset.



Opening gap 44 mm



Install using adapter to take the sensor. Ideal for fronts with grip recesses.



eTouch+ for CONVOY Premio

Suitable for cabinet widths from 300 mm – can be retrofitted!

Set (consisting of motor, front sensor and adapter for front sensor assembly)

With EU-DIN plug

With GB/UK plug

With US/JP plug

With AUS plug

Item no.

002440 7001

002441 7001

002442 7001

002443 7001

Colour code:

Grey 7001

Identical to eTouch+ set for DISPENSA VVS-x





Assembly front sensor

Without adapter	Predrilled cuphole / insert (assembly aid for predrilled cuphole included)
With adapter	Screw in place / insert (3 pieces of wood screws 3.5 x 12 included)
Power supply	Battery CR 2032 3V (supplied)

Motor

Mains connection	Hollow plug 2.5/5.5 mm; 1.5 m cable Black
Voltage	24 VDC, ≥ 1,5 A
Rated power	30 Watt
Standby power	0.5 Watt
Dimensions	157 x 45 x 47 mm (BxDxH)
Weight	0.2 kg
Max. pull-out weight	CONVOY Premio: 120 kg
Housing colour	Grey (7001)
Product compatibility	CONVOY Premio with SoftSTOPPpro and SoftSTOPPlus
Assembly materials (supplied)	3 wood screws 4 x 16
Motor position	CONVOY Premio: opposite hinge side
Electrically assisted	Opening gap 44 mm






Install in predrilled cup hole so that front sensor is perfectly integrated into the carcass.



Install using adapter to take the sensor. Ideal for fronts with grip recesses



Item no.


eTouch für CONVOY Premio

Electrically assisted: full opening and closing for all cabinet widths - can be retrofitted! Set (consisting of motor, front sensor and adapter for front sensor assembly). Identical to set for DISPENSA

With EU-DIN plug
With GB/UK plug
With US/JP plug
With AUS plug

084246 7930
084247 7930
084248 7930
084249 7930

Colour code:
Grey 7930



Assembly front sensor

Without adapter	Predrilled cuphole / insert (assembly aid supplied)
With adapter	Screw in place / insert
Power supply	Battery CR 2032 3V (supplied)

Motor

Mains connection	Euro 8 as per EN 60320/C8; 1.5 m cable Black
Voltage	110-240 V AC, 50/60 Hz, ≥ 2 A
Rated power	60 Watt
Standby power	<4 Watt
Dimensions	333 x 68 x 77 mm (BxDxH)
Weight	1.6 kg
Max. pull-out weight	CONVOY Premio: 120 kg
Housing colour	Grey (7930)
Product compatibility	CONVOY Premio with SoftSTOPPro and SoftSTOPPlus
Assembly materials (supplied)	4 wood screws 4.5 x 75, assembly aid
Motor position	CONVOY Premio: hinge side
Electrically assisted	Opening

