



DISPENSA 90°

ORGANIZATION, A CLEAR
OVERVIEW AND FAST ACCESS



KESSEBÖHMER

THE HEIGHT-ADJUSTABLE TRAYS ARE HOOKED ON INDIVIDUALLY, MAKING THE DISPENSA 90° AN EXTREMELY FLEXIBLE STORAGE SOLUTION. IT GIVES USERS A LOT OF STORAGE SPACE ON A VERY SMALL FOOTPRINT. The whole width and depth of the cabinet are used for storage. A DISPENSA stands for ample space, good organization and a clear overview. You can see clearly what's on the shelves, even on the top shelves, and reach in from both sides!

STANDARD WITH:



ClickFixx



Synchromatic



ARENA^{plus}
Anti-slip coating

OPTIONAL WITH:



See-through sides
for a clear view at all levels

Payload up to 100 kg

Low-profile bottom runner





Item no.

074222 9006

074222 9966

074222 9846

Standard with



Damping



Suitable for SoftSTOPPro
damped opening (see page 1-37)

DISPENSA Vx partial pull-out fitting

for tall pull-out with central runner

Payload: max. 100 kg

Particularly suitable for narrow cabinets

Only supplied plastic-coated!

Colour code:

Silver grey 9006

Ice white 9966

Anthracite 9846

DISPENSA Vx partial pull-out fitting

Frame height = clear inside height -55 mm


S = system height (bottom runner): 43 mm

B = Clear inside width: ≥ 112 mm

T = Clear inside depth: ≥ 500 mm

L = Pull-out travel: 370 mm

Payload: ≤ 100 kg



084235 9006

084235 9966

084235 9846

Standard with



Damping



DISPENSA VVSx full-extension pull-out

With extra-low runner;

for tall pull-out with central runner

Payload: max. 100 kg

Only supplied plastic-coated!

Colour code:

Silver grey 9006

Ice white 9966

Anthracite 9846



094235 9006

094235 9966

094235 9846

Standard with



Damping



Damping

DISPENSA VVSx full-extension pull-out

With extra-low runner;

for tall pull-out with central runner

Payload: max. 100 kg

Only supplied plastic-coated!

Colour code:

Silver grey 9006

Ice white 9966

Anthracite 9846

DISPENSA VVSx low-profile, full-extension pull-out

Frame height = clear inside height -55 mm


S = system height (bottom runner): 35 mm

B = Clear inside width: ab 212 mm

T = Clear inside depth: ≥ 500 mm

L = Pull-out travel: 470 mm

Payload: ≤ 100 kg



	Dimensions (mm)	Item no.
Support frame DISPENZA-x		
Height-adjustable	Clear inside height	
Only supplied plastic-coated!	900-1300	054379 0102 054379 9966 054379 9846
Colour code:	1200-1600	054381 0102 054381 9966 054381 9846
Silver 0102	1600-2000	054382 0102 054382 9966 054382 9846
Ice white 9966	1800-2200	054384 0102 054384 9966 054384 9846
Anthracite 9846	1900-2300	054383 0102 054383 9966 054383 9846

Standard with



Damping



Front bracket DISPENZA-x

Set (= 2 pcs)

Only supplied plastic-coated!

Width	PU	Silver	Ice white	Anthracite
150 mm	1 set	235156 0102	235156 9966	235156 9846
300 mm	1 set	232216 0102	232216 9966	232216 9846
400 mm	1 set	232217 0102	232217 9966	232217 9846
450 mm	1 set	232218 0102	232218 9966	232218 9846
500 mm	1 set	232390 0102	232390 9966	232390 9846
600 mm	1 set	232391 0102	232391 9966	232391 9846



Front stabilizer

Install in any position

Only supplied plastic-coated!

Colour code:

Silver 0102
Ice white 9966
Anthracite 9846

BxDxH

160 x 28 x 20

004350 0102
004350 9966
004350 9846



Front panel connecting strap

Colour code:

Silver 0102
Ice white 9966
Anthracite 9846

BxDxH

20 x 3 x 110

000214 0102
000214 9966
000214 9846



DISPENSA Vx SoftSTOPPpro

Damped opening

Option for DISPENZA Vx
partial pull-out fitting

Colour code:

Grey 7001

004244 7001



Damping



DISPENSA VVSx SoftSTOPPpro

Damped opening

Option for DISPENZA VVSx
full-extension fitting with SynChromatic

Colour code:

Black 9005

004243 9005



Damping



Hook-on tray DISPENSA

		ARENA pure	ARENA pure	ARENA pure	ARENA style	ARENA style
Railing		Anthracite	Silver	Silver	Anthracite	Chrome
Base panel colour		Anthracite	Ice white	Grey	Anthracite	Ice white
						
		236618 9846	236621 0102	236624 0102	260176 9846	260179 0005
		236619 9846	236622 0102	236625 0102	260177 9846	260180 0005
		236620 9846	236623 0102	236626 0102	260178 9846	260181 0005
		236463 9846	236478 0102	236493 0102	260118 9846	231432 0005
		236464 9846	236479 0102	236494 0102	260119 9846	260133 0005
		236465 9846	236480 0102	236495 0102	260120 9846	260134 0005
		236466 9846	236481 0102	236496 0102	260121 9846	231433 0005
		236467 9846	236482 0102	236497 0102	260122 9846	260135 0005
		236468 9846	236483 0102	236498 0102	260123 9846	260136 0005
		236469 9846	236484 0102	236499 0102	260124 9846	260137 0005
		236470 9846	236485 0102	236500 0102	260125 9846	260138 0005
		236471 9846	236486 0102	236501 0102	260126 9846	260139 0005
		236472 9846	236487 0102	236502 0102	260127 9846	260140 0005
		236473 9846	236488 0102	236503 0102	260128 9846	260141 0005
		236474 9846	236489 0102	236504 0102	260129 9846	260142 0005
		236475 9846	236490 0102	236505 0102	260130 9846	260143 0005
		236476 9846	236491 0102	236506 0102	260131 9846	260144 0005
		236477 9846	236492 0102	236507 0102	260132 9846	260145 0005

ARENA^{plus}
Anti-slip coating

Cabinet width	PU
150 mm	1 piece
150 mm	2 pieces
150 mm	3 pieces
300 mm	1 piece
300 mm	2 pieces
300 mm	3 pieces
400 mm	1 piece
400 mm	2 pieces
400 mm	3 pieces
450 mm	1 piece
450 mm	2 pieces
450 mm	3 pieces
500 mm	1 piece
500 mm	2 pieces
500 mm	3 pieces
600 mm	1 piece
600 mm	2 pieces
600 mm	3 pieces

Item no. Dimensions (mm)

BxDxH

Spice rack

235227 0102 465 x 85 x 33,5

235227 9966

For up to 12 spice jars

235227 9846 Space:
462 x 79

Colour code:
Silver 0102
Ice white 9966
Anthracite 9846



ARENA classic	ARENA classic	ARENA classic	ARENA classic	Metal basket	Metal basket	Railing Base panel colour
Chrome Ice white	Chrome Grey	Silver Ice white	Silver Grey	Chrome	Silver	
						Cabinet width
260182 0005	260185 0005	260182 0102	260185 0102	-	-	
260183 0005	260186 0005	260183 0102	260186 0102	-	-	150 mm
260184 0005	260187 0005	260184 0102	260187 0102	-	-	150 mm
260146 0005	260161 0005	260146 0102	260161 0102	217781 0005	217781 0102	300 mm
260147 0005	260162 0005	260147 0102	260162 0102	001966 0005	001966 0102	300 mm
260148 0005	260163 0005	260148 0102	260163 0102	235019 0005	235019 0102	300 mm
260149 0005	260164 0005	260149 0102	260164 0102	231573 0005	231573 0102	400 mm
260150 0005	260165 0005	260150 0102	260165 0102	001967 0005	001967 0102	400 mm
260151 0005	260166 0005	260151 0102	260166 0102	235020 0005	235020 0102	400 mm
260152 0005	260167 0005	260152 0102	260167 0102	235021 0005	235021 0102	450 mm
260153 0005	260168 0005	260153 0102	260168 0102	001938 0005	001938 0102	450 mm
260154 0005	260169 0005	260154 0102	260169 0102	235022 0005	235022 0102	450 mm
260155 0005	260170 0005	260155 0102	260170 0102	235023 0005	235023 0102	500 mm
260156 0005	260171 0005	260156 0102	260171 0102	001939 0005	001939 0102	500 mm
260157 0005	260172 0005	260157 0102	260172 0102	235024 0005	235024 0102	500 mm
260158 0005	260173 0005	260158 0102	260173 0102	235025 0005	235025 0102	600 mm
260159 0005	260174 0005	260159 0102	260174 0102	001980 0005	001980 0102	600 mm
260160 0005	260175 0005	260160 0102	260175 0102	235026 0005	265026 0102	600 mm

DISPENSA Youbox_x-Set 1

consisting of:

2 boxes (1.0 litres)

1 box (2.1 litres)

2 boxes (2.0 litres)

1 knife holder

2 lids

2 traverse rails

Dimensions (mm)

Item no.

BxDxH

115 x 150 x 95

115 x 300 x 95

115 x 150 x 195

005273 0102

005273 9966

005273 9846

Lid and dividers in White

Colour code:

Silver 0102

Ice white 9966

Anthracite 9846



DISPENSA Youbox_x-Set 3

consisting of:

2 boxes (1.0 litres)

2 boxes (2.1 litres)

2 lids

1 dividers, large

2 traverse rails

BxDxH

115 x 150 x 95

115 x 300 x 95

005275 0102

005275 9966

005275 9846

Lid and dividers in White

Colour code:

Silver 0102

Ice white 9966

Anthracite 9846





The frame is positioned on the front at the top.

And pushed in at the bottom – click!

The frame is clicked into position on the runner – click – and the whole fitting is pushed into the cabinet. Done!

A couple of clicks


THE INSTALLATION IS FINISHED

— KESSEBÖHMER —



ClickFixx






Adjustment is quick and easy

WITHOUT SPECIAL TOOLS

— KESSEBÖHMER —

A STANDARD PZ2 SCREWDRIVER AND TWO SETTING SCREWS ON THE FRAME TOP AND BOTTOM SIMPLIFY ADJUSTMENT. Turning the screws has an immediately visible effect. This makes adjustment quicker and easier – and also much more precise. And all it takes is a screwdriver!






Assembly with predrilled cuphole so that front sensor is perfectly integrated into the carcaset.

Opening gap
44 mm



Install using adapter to take the sensor. Ideal for fronts with grip recesses.



eTouch+ for DISPENSA VVS-x

Electrically assisted: 44 mm opening gap
Suitable for cabinet widths from 300 mm – can be retrofitted!
Set (consisting of motor, front sensor and adapter for front sensor assembly)

With EU-DIN plug
With GB/UK plug
With US/JP plug
With AUS plug

Item no.

002440 7001
002441 7001
002442 7001
002443 7001

Colour code:

Grey 7001

Identical to eTouch+ set for CONVOY Centro




Assembly front sensor

Without adapter	Predrilled cuphole / insert (assembly aid for predrilled cuphole included)
With adapter	Screw in place / insert (3 pieces of wood screws 3.5 x 12 included)
Power supply	Battery CR 2032 3V (supplied)

Motor


Mains connection	Hollow plug 2.5/5.5 mm; 1.5 m cable Black
Voltage	24 VDC, $\geq 1,5$ A
Rated power	30 Watt
Standby power	0.5 Watt
Dimensions	157 x 45 x 47 mm (BxDxH)
Weight	0.2 kg
Max. pull-out weight	CONVOY Premio: 120 kg
Housing colour	Grey (7001)
Product compatibility	CONVOY Premio with SoftSTOPPpro and SoftSTOPPplus
Assembly materials (supplied)	3 wood screws 4 x 16
Motor position	DISPENSA: beside the runner on the right
Electrically assisted	Opening gap 44 mm





Assembly with
predrilled cuphole so
that front sensor is
perfectly integrated into
the carcaset.

Install using adapter to
take the sensor. Ideal
for fronts with grip
recesses.



Item no.

eTouch for DISPENZA

Suitable for cabinet widths from 300 mm –
can be retrofitted! Set (consisting of motor,
front sensor and adapter for front sensor
assembly)

Identical to set for CONVOY Premio

With EU-DIN plug

084246 7930

With GB/UK plug

084247 7930

With US/JP plug

084248 7930

With AUS plug

084249 7930

Colour code:

Grey 7930



Assembly front sensor

Without adapter	Predrilled cuphole / insert (assembly aid supplied)
With adapter	Screw in place / insert
Power supply	Battery CR 2032 3V (supplied)

Motor

Mains connection	Euro 8 as per EN 60320/C8; 1.5 m cable Black
Voltage	110-240 V AC, 50/60 Hz, ≥ 2 A
Rated power	60 Watt
Standby power	<4 Watt
Dimensions	333 x 68 x 77 mm (BxDxH)
Weight	1.6 kg
Max. pull-out weight	CONVOY Premio: 120 kg
Housing colour	Grey (7930)
Product compatibility	CONVOY Premio with SoftSTOPPro and SoftSTOPplus
Assembly materials (supplied)	4 wood screws 4.5 x 75, assembly aid
Motor position	DISPENSA: beside the runner on the right
Electrically assisted	Opening

