

TANDEM solo

PERFECT AND FLEXIBLE
STORAGE SOLUTIONS

 KESSEBÖHMER







Mounted on cabinet side panel
for an easy fit in any
cabinet height –
also good for tall cabinets

Height-adjustable baskets

STANDARD WITH:

ARENA^{plus}
Anti-slip coating

SOFTSTOPPRO

As the door opens, the fitting
glides automatically forward
towards the user

New exclusive
opening damping

Hook-on tray TANDEM solo

Railing		ARENA pure	ARENA pure	ARENA pure	ARENA style
Base panel colour		Anthracite	Silver	Silver	Anthracite
		Anthracite	Ice white	Grey	Anthracite
ARENA^{plus}					
<i>Anti-slip coating</i>					
Cabinet width					
PU					
450 mm	2 pieces	236355 9846	236361 0102	236367 0102	235533 9846
450 mm	3 pieces	236356 9846	236362 0102	236368 0102	235534 9846
500 mm	2 pieces	236357 9846	236363 0102	236369 0102	235536 9846
500 mm	3 pieces	236358 9846	236364 0102	236370 0102	235537 9846
600 mm	2 pieces	236359 9846	236365 0102	236371 0102	235539 9846
600 mm	3 pieces	236360 9846	236366 0102	236372 0102	235540 9846

TANDEM solo fitting set

Cabinet width	450 mm	500 mm	600 mm
Clear inside width:	≥ 412-4180	≥ 462-468	≥ 562-568
Clear inside depth:	≥ 495	≥ 495	≥ 495
Opening angle:	110°	110°	110°
Pull-out travel:	290	330	330
max. Payload:	80 kg	80 kg	80 kg

Fitting-Set TANDEM solo

consisting of:

- 1 frame
- 1 top brace for 16-19 mm side panel thickness
- 1 set door connectors
- 1 set control lever
- 1 bottom runner
- 1 carcass profile bottom
- 1 SoftSTOPpro pull-out damper


Clear inside width (mm)	Frame height	For cabinet width	Item no.		
			Ice white	Silver	Anthracitee
≥1300	1136	450	013460 9966	013460 0102	013460 9846
≥1400	1236		013461 9966	013461 0102	013461 9846
≥1700	1536		013462 9966	013462 0102	013462 9846
≥1800	1636		013463 9966	013463 0102	013463 9846
≥1300	1136	500	013467 9966	013467 0102	013467 9846
≥1400	1236		013468 9966	013468 0102	013468 9846
≥1700	1536		013469 9966	013469 0102	013469 9846
≥1800	1636		013470 9966	013470 0102	013470 9846
≥1300	1136	600	013474 9966	013474 0102	013474 9846
≥1400	1236		013475 9966	013475 0102	013475 9846
≥1700	1536		013476 9966	013476 0102	013476 9846
≥1800	1636		013477 9966	013477 0102	013477 9846



push-to-open (PTO) Typ II

drill-in ejector

● 22-34 N



272073 7035

Can also be used with PTO housing (272075 7035)



PTO housing

for screw fixing

Grey 7035

272075 7035



ARENA style	ARENA classic	ARENA classic	ARENA classic	ARENA classic	Railing
Chrome	Chrome	Chrome	Silver	Silver	Base panel colour
Ice white	Ice white	Grey	Ice white	Grey	
					Cabinet width
235052 0005	235061 0005	235069 0005	235061 0102	235069 0102	450 mm
235053 0005	235062 0005	235070 0005	235062 0102	235070 0102	450 mm
235055 0005	235064 0005	235071 0005	235064 0102	235071 0102	500 mm
235056 0005	235065 0005	235072 0005	235065 0102	235072 0102	500 mm
235058 0005	235067 0005	235073 0005	235067 0102	235073 0102	600 mm
235059 0005	235068 0005	235074 0005	235068 0102	235074 0102	600 mm