




UP TO
50KG LOAD
CAPACITY

LeMans is an extremely robust storage system with a load capacity of up to 25kg per tray. Damped self-closing means whisper-quiet closing even fully loaded. The patented 4-arm articulation system swings the trays out of the cabinet in a smooth and fluid movement. Users select tray heights to suit their needs and cut out wasted space. With optimal access at all times, LeMans makes perfect use of corner space!



25kg =  



LeMans II

CONTINUING A LONG TRADITION



THE LE MANS RACETRACK AND THE LeMans INTELLIGENT CORNER UNIT SOLUTION FROM KESSEBÖHMER ARE BOTH INSTANTLY RECOGNIZABLE FOR THEIR SHAPE AND FUNCTIONALITY. ON THE RACETRACK AND IN THE KITCHEN, EFFICIENCY, INNOVATION AND EMOTION ARE IN THE FOREGROUND.

LeMans II is the second generation of a successful product – with new, improved features and innovations. Kesseböhmer's intelligent corner unit system is once again setting standards with new engineering quality and fascinating movement sequences!

PRODUCT FEATURES

- Door opening angle of just 85° allows trays to swing completely out
- Max. payload per tray is 25 kg
- Height-adjustable trays
- ClickFixx system for fast, errorfree, toolless assembly
- Damped self-closing (option)
- 70 % more storage area than a base unit with pull-out drawers next to the blind corner!

The trays move smoothly and almost effortlessly out of the unit ...




... so that users have a clear view of all the contents and optimal access.




LeMans II scores high on efficiency and benefits.




Fig.: Dimensions in mm




Example: swings out to the right
(left cabinet – 40 cm door)



Example: swings out to the right
(left cabinet – 45 cm door)



Example: swings out to the right
(left cabinet – 50 cm door)



Example: swings out to the right
(left cabinet – 60 cm door)

Hook-on tray LeMans II

PU 1 set (= 2 trays and fixings) without axle; max. load: 25 kg/tray

Railing	ARENA pure	ARENA pure
Base panel colour	Anthracite	Silver
	Anthracite	Ice white


ARENAplus
Anti-slip coating

SOFTSTOPPPLUS



Cabinet width	swing out	SoftSTOPP plus		
400 mm	right	-	2603909846	2603800102
	left	-	2603919846	2603810102
450 mm	right	-	2603929846	2603820102
	left	-	2603939846	2603830102
500 mm	right	-	2603949846	2603840102
	left	-	2603959846	2603850102
600 mm	right	-	2603969846	2603860102
	left	-	2603979846	2603870102

Cabinet width	swing out	SoftSTOPP plus		
400 mm	right	2 pieces	2604909846	2604800102
	left	2 pieces	2604919846	2604810102
450 mm	right	2 pieces	2604929846	2604820102
	left	2 pieces	2604939846	2604830102
500 mm	right	2 pieces	2604949846	2604840102
	left	2 pieces	2604959846	2604850102
600 mm	right	2 pieces	2604969846	2604860102
	left	2 pieces	2604979846	2604870102



	Door width			
mm	400	450	500	600
A	≥764	≥800	≥910	≥960
B	≥500	≥500	≥500	≥500
C	361-368	411-418	461-468	561-568
D	16-19	16-19	16-19	16-19
E	≥60	≥60	≥60	≥60
F	≤400	≤450	≤500	≤600
G	≤65	≤65	≤65	≤65
H	600-900	600-900	600-900	600-900
J	≤25	≤25	≤25	≤25
K	≤70	≤70	≤70	≤70

ARENA pure	ARENA style	ARENA style	ARENA classic	ARENA classic	ARENA classic	ARENA classic
Silver	Anthracite	Chrome	Chrome	Chrome	Silver	Silver
Grey	Anthracite	Ice white	Ice white	Grey	Ice white	Grey



2603700102	235008 9846	235083 0005	235010 0005	047918 0005	235010 0102	047918 0102
2603710102	235009 9846	235084 0005	235011 0005	047919 0005	235011 0102	047919 0102
2603720102	234621 9846	233045 0005	235012 0005	047920 0005	235012 0102	047920 0102
2603730102	234622 9846	233046 0005	235013 0005	047921 0005	235013 0102	047921 0102
2603740102	234623 9846	233047 0005	235014 0005	047922 0005	235014 0102	047922 0102
2603750102	234624 9846	233048 0005	235015 0005	047923 0005	235015 0102	047923 0102
2603760102	234625 9846	233049 0005	235016 0005	047924 0005	235016 0102	047924 0102
2603770102	234626 9846	233050 0005	235017 0005	047925 0005	235017 0102	047925 0102

2604700102	260360 9846	260320 0005	260350 0005	260340 0005	260350 0102	260340 0102
2604710102	260361 9846	260321 0005	260351 0005	260341 0005	260351 0102	260341 0102
2604720102	260362 9846	260322 0005	260352 0005	260342 0005	260352 0102	260342 0102
2604730102	260363 9846	260323 0005	260353 0005	260343 0005	260353 0102	260343 0102
2604740102	260364 9846	260324 0005	260354 0005	260344 0005	260354 0102	260344 0102
2604750102	260365 9846	260325 0005	260355 0005	260345 0005	260355 0102	260345 0102
2604760102	260366 9846	260326 0005	260356 0005	260346 0005	260356 0102	260346 0102
2604770102	260367 9846	260327 0005	260357 0005	260347 0005	260357 0102	260347 0102

Axle, height-adjustable

with 2 premounted bearing sleeves

1 cabinet-side M profile

1 top connector

1 axle bearing bottom

For clear

inside height

	Ice white	Silver	Anthracite
600-750 mm	007944 9966	007944 0102	007944 9846
650-800 mm	007958 9966	007958 0102	007958 9846
720-900 mm	007945 9966	007945 0102	007945 9846



SoftSTOPPplus damping (set of 2)

	White	Grey	Anthracite
right swing out	234641 9010	234641 7930	234641 7500
left swing out	234642 9010	234642 7930	234642 7500

